

Byram Township Board of Health Minutes  
**October 26, 2010**

**STATEMENT:** Accurate notice of this meeting has been published specifying the time and place in compliance with the provisions of the Open Public Meeting Act.

**MEMBERS PRESENT:**

	<i>Vacant</i>	<i>Emily Crispino</i>	<i>John Cubberly</i>	<i>Ruth Rhodes</i>	<i>Daren Baez</i>	<i>Anthony Ansaldo</i>	<i>Mimi Toney</i>
By		A	I	I	I	I	I

**ALSO PRESENT:** Joan Skillin

**APPROVAL OF MINUTES:** September 28, 2010

	<i>Vacant</i>	<i>Emily Crispino</i>	<i>John Cubberly</i>	<i>Ruth Rhodes</i>	<i>Daren Baez</i>	<i>Anthony Ansaldo</i>	<i>Mimi Toney</i>
By						x	
2nd							x
Yes			x	x	x		x
No							
Abstain			x				
Absent		x					

**FEE SCHEDULE:** September Total to Treasurer \$856.25

**DISCUSSIONS:**

- Alternative System Ordinance – Proposed ordinance still in the review stage. Mr. Cubberly stated that this is not a huge difference between Draft 1 & 2. He also stated that they will need a definition of an Alternative System from the County Health Department to put into the draft. Ms. Skillan said that she will provide that information. Mr. Baez questioned paragraph 2 “non-voidable”, Ms. Toney stated that it should read “valid” instead. Mr. Cubberly will speak with the Township Manager to get his approval before we continue forward.
- 200 feet Notification for Septic Repairs / Replacements Ordinance – Ms. Rhodes brought in the sample of the Frankford Township code. There is no variance section listed in the Byram Code. Board just needs to figure out where to insert a variance section into the Byram code. Mr. Baez stated that it should be the same wording as what is in the Planning Boards code. Mr. Cubberly will make the changes to the proposal before sending it off to the attorney for review.
- Septic Management Ordinance Alteration - Due to complications with finalizing the proposed ordinance and waiting for clarification from Board of Health Attorney David Soloway, this discussion will be tabled to the November Meeting.
- Rabies clinic has been scheduled for April 2, 2011 at the DPW garage. Volunteers needed.
- November and December 2010 Board of Health Meetings have been re-scheduled to accommodate the holiday schedule. The next and final Board of Health meeting for 2010 will be held on November 30, 2010 at 7:30 pm.
- Report from the County:
  - Doerr Property, Cabin Springs Trail – Mr. Doerr submitted photographs. He is now in compliance to the resolution.
  - Marotte, 1 Hickory Trail – Mr. Marotte has final and approved plans. Mr. Cubberly directed Ms Skillan to give Mr. Marotte a letter stating that he has 60 days to complete the installation of the system. He also instructed to issue a summons for keeping the temporary tank for over the 180 days. Mr. Marotte still needs to pay to re-issue the permit.

- Mescia, 38 South Shore Road – There is a cesspool at that location. House is currently not occupied. Just needs to install a cap over the system.
  - Blesson, 82 North Shore Road – Septic installation has been completed.
  - Digney, Partridge Road – An application that was submitted for a new septic Installation currently not in compliance.
- 
- PAC meeting minutes – Nothing to report.
  
  - Next Meeting scheduled for November 30, 2010.

**ADJORNMENT:** There was no further business to discuss; the meeting was adjourned at 8:43 p.m.

Respectfully Submitted,

Cindy Church, Secretary Byram Township Board of Health